


Welcome



LeadCare

Marcelo Sigal

Business Development Manager - LATAM



Actual Situation



Lead Intoxication / CHUMBO



NEWS

Home | War in Ukraine | Climate | Video | World | US & Canada | UK | Business | Tech | Science

Health

One in three children 'exposed to lead' globally

🕒 30 July 2020



Unregulated recycling of lead-acid batteries is the main cause of lead poisoning

Childhood Lead Exposure

It's More Than Lead Paint

30% of children with elevated blood lead levels have no immediate lead paint source.¹

Other sources of lead²:



Soil

Soil near busy streets or pre-1978 buildings can contain high lead concentrations.



Toys

Lead can be found in paint and plastics in imported and antique toys.



Pottery

Imported, old, and handmade pottery may have been made with leaded glaze.



Home Remedies

Alternative medicines such as Greta and Azarcon may contain toxic amounts of lead.



Hobby / Occupation

A hobby (hunting or shooting) or job (mechanic or factory worker) can bring home lead dust on shoes and clothing.



Imported Candy

Lead has been found in some imported consumer candies (both the candy and the wrappers).



Drinking Water

Older plumbing may contain lead which can contaminate tap water.



Jewelry

High concentrations of lead can be found in costume jewelry and trinkets.



Second Hand Smoke

Blood lead levels increase with the number of smokers in the household.



Get the
Facts



Get Your
Child Tested



Get Your
Home Tested

**Together, we can
prevent lead exposure!**



**easy to
diagnose**

LeadCare




Three steps to a quantitative result



The LeadCare II instrument, with consumables provided in each test kit.

1) Collect
Fingerstick
sample (50 μ L)



2) Dispense
into reagent and
mix



3) Apply sample



visit
stand 99

Obrigado / THANK YOU

